





ELINS SHEET METAL INDUSTRIES

"More Innovations, More Solutions"



- Raceway : Ceiling / Floor
- Cable Tray : Perforated / Ladder
- Junction Box & Accessories



LADDER TYPE CABLE TRAY

AVAILABLE SIZES IN LADDER TYPE CABLE TRAY IS MENTIONED BELOW



Sl.	W	H	THICKNESS		
			1.6mm (16 SWG)	2.0mm (14 SWG)	2.5mm (12 SWG)
1	150	50	✓	✓	x
2	150	75	✓	✓	x
3	150	100	✓	✓	x
4	300	50	✓	✓	x
5	300	75	✓	✓	x
6	300	100	✓	✓	x
7	450	50	✓	✓	x
8	450	75	✓	✓	x
9	450	100	✓	✓	x
10	500	50	✓	✓	x
11	500	75	✓	✓	x
12	500	100	✓	✓	x
13	600	50	✓	✓	✓
14	600	75	✓	✓	✓
15	600	100	✓	✓	✓
16	750	50	✓	✓	✓
17	750	75	✓	✓	✓
18	750	100	✓	✓	✓
19	1000	50	✓	✓	✓
20	1000	75	✓	✓	✓
21	1000	100	✓	✓	✓
22	1200	50	✓	✓	✓
23	1200	75	✓	✓	✓
24	1200	100	✓	✓	✓
AVAILABLE =			✓	W =	WIDTH
NOT AVAILABLE =			x	H =	HEIGHT

FINISHING FOR LADDER TYPE CABLE TRAY :

- PRE GALVANIZED
- HOT DIP GALVANIZED
- POWDER COATED
- ALUMINUM
- STAINLESS STEEL

FEATURES

- Regular Standard 2500 MM length.
- Runners @ Every 250 MM Interval.
- Coupler Plate :2 Nos Per Tray.
- Fasteners : M8 X 30 Quantity 10 Nos Per Tray Electro Plated.



PERFORATED TYPE CABLE TRAY

AVAILABLE SIZES IN PERFORATED TYPE CABLE TRAY IS MENTIONED BELOW

SL No	W	H	1.2 MM	1.6 MM	2.0 MM	2.5 MM
1	50	40	✓	✓	x	x
2	50	50	✓	✓	x	x
3	75	40	✓	✓	✓	x
4	75	50	✓	✓	✓	x
5	100	40	✓	✓	✓	x
6	100	50	✓	✓	✓	x
7	100	75	✓	✓	✓	x
8	100	100	✓	✓	✓	x
9	150	40	✓	✓	✓	x
10	150	50	✓	✓	✓	x
11	150	75	✓	✓	✓	x
12	150	100	✓	✓	✓	x
13	200	40	✓	✓	✓	x
14	200	50	✓	✓	✓	x
15	200	75	✓	✓	✓	x
16	200	100	✓	✓	✓	x
17	250	40	x	✓	✓	✓
18	250	50	x	✓	✓	✓
19	250	75	x	✓	✓	✓
20	250	100	x	✓	✓	✓
21	300	40	x	✓	✓	✓
22	300	50	x	✓	✓	✓
23	300	75	x	✓	✓	✓
24	300	100	x	✓	✓	✓
25	400	40	x	✓	✓	✓
26	400	50	x	✓	✓	✓
27	400	75	x	✓	✓	✓
28	400	100	x	✓	✓	✓
29	450	40	x	✓	✓	✓
30	450	50	x	✓	✓	✓
31	450	75	x	✓	✓	✓
32	450	100	x	✓	✓	✓
33	500	40	x	✓	✓	✓
34	500	50	x	✓	✓	✓
35	500	75	x	✓	✓	✓
36	500	100	x	✓	✓	✓
37	600	40	x	✓	✓	✓
38	600	50	x	✓	✓	✓
39	600	75	x	✓	✓	✓
40	600	100	x	✓	✓	✓
41	750	40	x	x	✓	✓
42	750	50	x	x	✓	✓
43	750	75	x	x	✓	✓
44	750	100	x	x	✓	✓
45	1000	40	x	x	✓	✓
46	1000	50	x	x	✓	✓
47	1000	75	x	x	✓	✓
48	1000	100	x	x	✓	✓


AVAILABLE	=	✓	W =	WIDTH
NOT AVAILABLE	=	x	H =	HEIGHT

FINISHING FOR PERFORATED CABLE TRAY :

- Pre Galvanized
- Hot Dip Galvanized
- Powder Coated
- Aluminum
- Stainless Steel

FEATURES

- Moderate Ventilation with added cable support advantage.
- Standard Length of 2500 mm
- Pregalvanized 120 GSM





RACEWAYS

AVAILABLE SIZES IN RACEWAYS (FLOORING AND CEILING) MENTIONED BELOW

SL No	W	H	1.2 MM	1.6 MM	2.0 MM	2.5 MM
1	50	40	✓	✓	x	x
2	50	50	✓	✓	x	x
3	75	40	✓	✓	✓	x
4	75	50	✓	✓	✓	x
5	100	40	✓	✓	✓	x
6	100	50	✓	✓	✓	x
7	100	75	✓	✓	✓	x
8	100	100	✓	✓	✓	x
9	150	40	✓	✓	✓	x
10	150	50	✓	✓	✓	x
11	150	75	✓	✓	✓	x
12	150	100	✓	✓	✓	x
13	200	40	✓	✓	✓	x
14	200	50	✓	✓	✓	x
15	200	75	✓	✓	✓	x
16	200	100	✓	✓	✓	x
17	250	40	x	✓	✓	✓
18	250	50	x	✓	✓	✓
19	250	75	x	✓	✓	✓
20	250	100	x	✓	✓	✓
21	300	40	x	✓	✓	✓
22	300	50	x	✓	✓	✓
23	300	75	x	✓	✓	✓
24	300	100	x	✓	✓	✓
25	400	40	x	✓	✓	✓
26	400	50	x	✓	✓	✓
27	400	75	x	✓	✓	✓
28	400	100	x	✓	✓	✓
29	450	40	x	✓	✓	✓
30	450	50	x	✓	✓	✓
31	450	75	x	✓	✓	✓
32	450	100	x	✓	✓	✓
33	500	40	x	✓	✓	✓
34	500	50	x	✓	✓	✓
35	500	75	x	✓	✓	✓
36	500	100	x	✓	✓	✓
37	600	40	x	✓	✓	✓
38	600	50	x	✓	✓	✓
39	600	75	x	✓	✓	✓
40	600	100	x	✓	✓	✓
41	750	40	x	x	✓	✓
42	750	50	x	x	✓	✓
43	750	75	x	x	✓	✓
44	750	100	x	x	✓	✓
45	1000	40	x	x	✓	✓
46	1000	50	x	x	✓	✓
47	1000	75	x	x	✓	✓
48	1000	100	x	x	✓	✓

AVAILABLE	=	✓	W =	WIDTH
NOT AVAILABLE	=	x	H =	HEIGHT



FINISHING FOR RACEWAY:

- Pre Galvanized
- Hot Dip Galvanized
- Powder Coated
- Aluminum

FEATURES

- Regular Standard 2500 MM Length
- Raceways Available with cover made out of same thickness OR as per customer requirement.
- For ceiling raceways coupler plate provided.
- For flooring raceways collar is provided to connect one another.

JUNCTION BOX

AVAILABLE SIZES IN JUNCTION BOX IS MENTIONED BELOW

SL.NO.	SIZE	1.6MM (BOTTOM)	2 MM (BOTTOM)
1	170X170X60MM	✓	✗
2	220X220X60MM	✓	✗
3	270X270X60MM	✓	✓
4	325X325X60MM	✓	✓
5	370X370X60MM	✓	✓
6	470X470X60MM	✓	✓
7	525X525X60MM	✓	✓
8	570X570X60MM	✓	✓







AVAILABLE	=	✓	W =	WIDTH
NOT AVAILABLE	=	✗	H =	HEIGHT

FINISHING FOR JUNCTION BOX:

- 1) Pre Galvanized
- 2) Hot Dip Galvanized
- 3) Powder Coated

FEATURES

- 1) Removable covers for 2 Sides and Top.
- 2) Height of the box depends on the Height of the race ways "+12mm"





ELINS SHEET METAL INDUSTRIES

**# 269, Pipeline Cross, Mysore Road,
Kasturba Nagar, Bangalore - 560 026
Ph : 080 22967121**

Contact Details :

Mobile : +91 93417 92309 / 93791 17020

Email : elinssheetmetal@gmail.com
